


CSR = 3745.27  
 CT = 3744.67  
 CE = 3744.15  
 CS = 3743.92  
 S = 2%  
 L = 11.39 m

Km = 23+756




Protección  
L = 3.8 m

TMC Ø36"  
PROYECTADA

Km = 23+531

CSR = 3735.36  
 CT = 3736.33  
 CE = 3734.04  
 CS = 3733.82  
 S = 2%  
 L = 11.39 m




Protección  
L = 4.50 m

TMC Ø36"  
PROYECTADA

Km = 23+240

CSR = 3722.62  
 CT = 3722.24  
 CE = 3719.01  
 CS = 3718.70  
 S = 3%  
 L = 13.01 m




Protección  
L = 3.00 m

Protección  
L = 2.1 m

TMC Ø36"  
PROYECTADA

Km = 24+565

CSR = 3789.84  
 CT = 3791.61  
 CE = 3788.52  
 CS = 3788.30  
 S = 2%  
 L = 11.39 m




Protección  
L = 3.00 m

TMC Ø36"  
PROYECTADA

Km = 24+058

CSR = 3758.58  
 CT = 3759.60  
 CE = 3758.08  
 CS = 3757.85  
 S = 2%  
 L = 11.39 m



Protección  
L = 4.2 m

TMC Ø36"  
PROYECTADA

ING. LEONARDO CASTILLO NIÑO  
 ESE. HIDRÁULICA E HIDRÁULICA  
 CIP-87002

WINROD CONTRATISTAS S.A.C.  
 Ing. FERNANDO MASSA SILVA  
 ESE. INGENIERÍA  
 REG. CIP. Nº 8987

REVISIONES	
Nº	FECHA